



TEST CERTIFICATE CERTIFICATO DI COLLAUDO

N. 2018/XM/01/41-1

RINA file No.
Pratica RINA N. 2018/XM/01/41

Manufacturer or
Supplier:
Fabbricante o Fornitore

Work order No.:
Commessa N. 17/12/160-A

Purchaser:
Committente

Order No.: ASL/PO18-01795 Intended for: RI 96752 (Hull No.H1174)
Ordine N. *Destinazione*

THIS IS TO CERTIFY that the items, particulars of which are given below, have been tested and found to be in compliance with the requirements of the RINA rules

SI CERTIFICA che gli oggetti / apparecchi, le cui caratteristiche sono di seguito indicate, sono stati sottoposti a collaudo e sono stati riscontrati conformi alle prescrizioni dei regolamenti del RINA.

The calibration status and adequacy of the test measurements devices used have been satisfactorily verified.

Lo stato di taratura e l'adeguatezza degli strumenti di misura utilizzati per il collaudo sono stati verificati con esito soddisfacente

Description of material and tests carried out:

Descrizione del materiale e prove eseguite:

- | | |
|--|---------------|
| 1) Aluminium Bolted Window (15mm T) | (Quantity: 3) |
| <i>Serial no.: 9374-W1 & W2 (see test report for details)</i> | |
| 2) Aluminium Bolted Window (10mm T) | (Quantity: 8) |
| <i>Serial no.: 9374-W3 & W4 (see test report for details)</i> | |
| 3) Aluminium Bolted Window (8mm T) | (Quantity: 2) |
| <i>Serial no.: 9374-W5 (see test report for details)</i> | |
| 4) Aluminium Weather tight Door (Quick Acting) (600mm x 1650mm) | (Quantity: 1) |
| <i>Serial no.: 9473-D1 (see test report for details)</i> | |
| 5) A30 Steel Watertight Door (Quick Acting) (600mm x 1400mm) | (Quantity: 1) |
| <i>Serial no.: 9374-D2 (see test report for details)</i> | |
| 6) Aluminium Weather tight Hatch (Quick Acting) (654mm x 654mm) | (Quantity: 1) |
| <i>Serial no.: 9374-H1 (see test report for details)</i> | |
| 7) Aluminium & Steel Watertight Hatch (Quick Acting) | (Quantity: 3) |
| H2: 654mm x 654mm x 2 pes & H2a: 770mm x 814mm x 1 pce | |
| <i>Serial no.: 9374 (see test report for details)</i> | |
| 8) Steel Watertight Hatch (1500mm x 1420mm) | (Quantity: 2) |
| <i>Serial no.: 9374-H3 (see test report for details)</i> | |

Inspection and tests carried out:

- Review of Approved Drawing:
 - a) Bolted Windows - SHST-29858[1, 2, 3],
 - b) WT & We.T Doors - SHST-29858[4, 5],
 - c) WT & We.T Hatch - SHST-29858[6, 7, 8],
- Visual and dimensional examination[1, 2, 3, 4, 5, 6, 7, 8]
- Hose test or Equivalent[1, 2, 3, 4, 6, 7, 8]
- Hydrostatic test[2, 5, 7, 8]
- Functioning test[4, 5, 6, 7, 8]

Comments:

- Random dimensional examination was carried out and found in order
- Hydrostatic test up to a pressure head of 0.40bar on 10% of total A30 Water Tight Door found satisfactory
- Hydrostatic test up to a pressure head of 0.25bar on 10% of total Hatches and Windows found satisfactory

Markings:
Marche apposte:

93



74

Testing date:
Data collaudo:

14/03/2018

Enclosures: Maker Quality Inspection Report dated 14 March 2018
Allegati:Issued at: Kuala Lumpur
Rilasciato a:on:
il:

15 March 2018



The rules, surveys and activities performed by RINA, reports, certificates and other documents issued by RINA are in no way intended to replace the duties and responsibilities of other parties such as Governments, designers, ship builders, manufacturers, repairers, suppliers, contractors or sub-contractors, owners, operators, charterers, underwriters, sellers or intended buyers of a ship or other product or system surveyed. These documents and activities do not relieve such parties from any fulfillment, warranty, responsibility, duty or obligation (also of a contractual nature) expressed or implied or in any case incumbent on them according to the law, nor do they confer on such parties any right, claim or cause of action against RINA. With particular regard to the duties of the ship Owner, the services undertaken by RINA do not relieve the Owner of his duty to ensure at all times proper maintenance of the ship and seaworthiness. Likewise, the rules, surveys performed, reports, certificates and other documents issued by RINA are intended neither to guarantee the buyers of the ship, its components or any other surveyed or certified item, nor to relieve the seller of the duties arising out of the law or the contract, regarding the quality, commercial value or characteristics of the item which is the subject of transaction.

In providing the services, as well as other correlated information or advice, RINA, its surveyors, servants or agents operate with due diligence for the proper execution of the activity. However, considering the nature of the activities performed (see art. 2.4 of the General Conditions), it is not possible to guarantee absolute accuracy, correctness and completeness of any information or advice supplied. Therefore, express and implied warranties are specifically disclaimed.

In providing its services, and also in the case of activities carried out by delegation of Governments, neither RINA nor any of its surveyors will be liable for any loss, damage or expense of whatever nature sustained by any person, in tort or in contract, derived from carrying out the services.

However, should any user of RINA's services prove that he has suffered a loss or damage due to any negligent act or omission of RINA, its surveyors, servants or agents, then RINA will pay compensation to such person for his proved loss, up to, but not exceeding, five times the amount of the fees charged for the specific services, information or opinions from which the loss or damage derives or, if no fee has been charged, a maximum of one hundred thousand Euro.

Any liability for indirect or consequential loss, damage or expense is specifically excluded. In any case, irrespective of the amount of the fees charged, the maximum damages payable by RINA will not be more than 1 million Euro.

No report, statement, notation on a plan, review, class certificate, document or information issued or given as part of the services provided by RINA shall have any legal effect or implication other than a representation that, on the basis and at the time of the checks made by RINA, the ship, structure, materials, equipment, machinery or any other item covered by such document or information meet the rules issued by RINA or by the Governments delegating RINA. Therefore, RINA cannot be held liable for any act made or document issued by other parties on the basis of the statements or information given by RINA.

I regolamenti, le visite e le attività effettuate da RINA, i rapporti, i certificati e gli altri documenti rilasciati da RINA non sono intesi a sostituire per nessuna ragione gli obblighi e le responsabilità di altre parti quali, a titolo esemplificativo, Governi, progettisti, costruttori, fabbricanti, riparatori, fornitori, imprenditori, subcontraenti, Armatori, gestori, noleggiatori, assicuratori, venditori o acquirenti di una nave o altro prodotto o sistema sottoposto a ispezione.

Dei documenti e attività non esistono tali parti da qualsiasi adempimento, garanzia, onere, responsabilità, dovere o obbligo (anche di natura contrattuale), da essi esplicitamente o implicitamente assunti o comunque loro incumbenti in base alla legge, né conferiscono a tali parti alcun diritto, pretesa o titolo nei confronti di RINA. Con particolare riguardo ai doveri dell'armatore, i servizi svolti da RINA non lo esimono dall'obbligo di assicurare un'adeguata manutenzione della nave e di garantirne la navigabilità in ogni momento. Parimenti, i regolamenti, le visite effettuate, i rapporti, i certificati e gli altri documenti rilasciati da RINA non sono finalizzati a garantire gli eventuali acquirenti della nave, di suoi componenti o di altro bene oggetto di verifica o certificazione, o a sollevare il venditore degli stessi rispetto agli obblighi derivanti dalla legge o dal contratto, quanto alla qualità, al valore commerciale o alle caratteristiche del bene oggetto di transazione.

Nel prestare i propri servizi, come pure nel dare informazioni o pareri ad essi correlati, RINA, i suoi tecnici, dipendenti o agenti operano con la dovuta diligenza al fine di una corretta esecuzione dell'incarico. Tuttavia, stante la natura delle attività svolte (v. art. 2.4 Condizioni Generali), non è possibile garantire l'assoluta precisione, correttezza e completezza delle informazioni o dei pareri forniti. Pertanto RINA non presta alcuna garanzia esplicita od implicita.

Nel prestare i propri servizi ed anche nel caso di attività eseguite per delega di Governi, né RINA, né alcuno dei suoi tecnici sarà responsabile di qualsiasi perdita, danno o spesa di qualunque natura sostenuta da qualsiasi persona, sia in via contrattuale, sia in via extracontrattuale, derivanti dall'esecuzione dei servizi. Tuttavia qualora un utente dei servizi di RINA dimostri di aver subito una perdita o un danno a causa di qualche azione od omissione negligente da parte di RINA, dei suoi tecnici, dipendenti o agenti, RINA risarcirà il danno dimostrato fino a concorrenza della somma non superiore a cinque volte l'ammontare dei compensi fatturati per le specifiche prestazioni, informazioni o pareri da cui è derivata la perdita o il danno o, se non sono stati fatturati compensi, fino a un massimo di centomila Euro. Qualsiasi responsabilità per perdite o danni indiretti o "conseguenziali" e per le relative spese è espressamente esclusa. In ogni caso, indipendentemente dall'ammontare dei compensi fatturati, l'ammontare massimo risarcibile da RINA non potrà essere superiore a 1 milione di Euro.

A nessun rapporto, dichiarazione, certificato, documento o informazione emessi o rilasciati in esecuzione dei servizi prestati da RINA possono essere attribuiti effetti o implicazioni legali diversi dall'attestazione che, sulla base degli accertamenti eseguiti, la nave, la struttura, i materiali, le apparecchiature, i macchinari o qualsiasi altro elemento cui tale documento o informazione si riferiscono, risultano conformi, al momento dell'esecuzione degli accertamenti, ai regolamenti o alle norme emesse da RINA o dai Governi su delega dei quali RINA agisce. Quest'ultima non assume pertanto alcun obbligo in relazione agli atti compiuti o ai documenti emessi da altre parti sulla base delle dichiarazioni o informazioni rilasciate dalla stessa.

AQUA LOGISTICS PTE LTD

Block 2, Bukit Batok Street 24

Skytech #02-09 Singapore 659480

Tel : 6566 5166 (5 Lines) Fax : 6566 6303

E-mail Address : aqualog@singnet.com.sg

Website : www.aqualogistics.com.sg



QUALITY INSPECTION REPORT

CLIENT : _____

OUR REF. : ALP/QIR-03004/18

HULL NO. : H1174 - 16.8M SURVEY BOAT "POLARIS 1 & 2"

RINA REF. NO. : SHST/2018/HERSA

CLIENT PO NO. : ASL/PO18-01795

WORK ORDER NO. : 17/12/160-A

TYPE-3 BOLTED TYPE WINDOW

Drawing No. Q11050-17 (W1) ~ (W5) REV. C dated 16th Jan 2018

MARKING	MATERIAL	CLEAR SIZE (W x H)	TYPE	TOUGHENED GLASS	CLEAR RADIUS	RINA NO.	REQUIRED NO.		
							P	S	TOTAL
W1	ALUMINIUM	946 x 905	FIXED	15mm CLEAR	R100				1
W2	ALUMINIUM	895/895 x 876	FIXED	15mm CLEAR	R100		1	1	2
W3	ALUMINIUM	898/479 x 800	FIXED	10mm CLEAR	R100		1	1	2
W4	ALUMINIUM	925 x 800	FIXED	10mm CLEAR	R100				6
W5	ALUMINIUM	550 x 550	FIXED	8mm CLEAR	R100				2
TOTAL QTY : (NOS)								13	

REMARK : - ALL WINDOWS WERE VISUALLY EXAMINED AND DIMENSIONALLY CHECKED AGAINST THE MANUFACTURER DRAWINGS.

MATERIAL CERTIFICATES REVIEWED AND FOUND SATISFACTORY.

- HYDROSTATIC TEST WERE CARRIED OUT ON THE SAMPLE OF WINDOW MARKED W3 (1 QTY) & W4 (1 QTY) ; WITH WATER PRESSURE HEAD OF 0.25 BAR (2.5 METER) AND VISUAL EXAMINATION CARRIED OUT AND FOUND NO LEAKS OR DEFORMATION ON THE WINDOW

- ALL WINDOWS WILL BE ACCEPTED SUBJECT TO INSTALLATION ON BOARD THE VESSEL TO THE SATISFACTION OF THE ATTENDING SURVEYOR

THIS IS TO CERTIFY THAT CLASS AUTHORITIES OR CLIENT REPRESENTATIVES HAVE INSPECTED THE PRODUCT LISTED ABOVE ON 14TH MARCH 2017.

COMMENTS :-

Satisfied Party

WITNESS BY :


Muhamad Faizal Bin Mamat
(ATTENDING SURVEYOR FOR Services S.p.A)
NAME : MR. MUHAMAD FAIZAL BIN MAMAT
DATE : 14TH MARCH 2018

VERIFIED BY :


(MANUFACTURER'S QA DEPARTMENT)
NAME : LOW JOO TANG
DATE : 14TH MARCH 2018

AQUA LOGISTICS PTE LTD

Block 2, Bukit Batok Street 24

Skytech #02-09 Singapore 659480

Tel : 6566 5166 (5 Lines) Fax : 6566 6303

E-mail Address : aqualog@singnet.com.sg

Website : www.aqualogistics.com.sg



ISO 9001:2015

Cert. no.: 14389

QUALITY INSPECTION REPORT

CLIENT : _____

OUR REF. : ALP/QIR-03005/18

HULL NO. : H1174 - 16.8M SURVEY BOAT "POLARIS 1 & 2"

RINA REF. NO. : SHST/2018/HERSA

CLIENT PO NO. : ASL/PO18-01795

WORK ORDER NO. : 17/12/160-A

WATERTIGHT & WEATHERTIGHT DOORS

Drawing No. Q11050-17 (D01) & (D02) REV. A dated 14th Dec 2017

MARKING	MATERIAL	CLEAR SIZE (W x H)	TYPE	RINA NO.	REQUIRED NO.		
					L.O.	R.O.	TOTAL
D1	ALUM.	600 x 1650	WEATHERTIGHT DOOR [QUICK ACTING MECHNISM]			1	1
D2	STEEL	600 x 1400	A30 WATERTIGHT DOOR [QUICK ACTING MECHNISM]		1		1
TOTAL QTY : (NOS)							2

REMARK : - ALL DOORS WERE VISUALLY EXAMINED AND DIMENSIONALLY CHECKED AGAINST THE MANUFACTURERS DRAWING.
MATERIAL CERTIFICATES REVIEWED AND FOUND SATISFACTORY.
- HYDROSTATIC TEST WERE CARRIED OUT ON THE SAMPLE OF A30 WATERTIGHT DOOR MARKED D2 (1 QTY); WITH WATER HEAD PRESSURE
HEAD OF 0.40 BARS (4 METER) VISUAL EXAMINATION CARRIED OUT AND FOUND NO LEAK OR DEFORMATION ON THE DOOR
- CHALK TEST WERE CARRIED OUT ON THE REMAINING DOORS WITH GASKET UNDER TENSION AND FOUNS SATISFACTORY
- ALL DOORS WILL BE ACCEPTED SUBJECT TO INSTALLATION ON BOARD THE VESSEL TO THE SATISFACTION TO THE ATTENDING
SURVEYOR

THIS IS TO CERTIFY THAT CLASS AUTHORITIES OR CLIENT REPRESENTATIVES HAVE INSPECTED THE PRODUCT LISTED ABOVE
ON 14TH MARCH 2017.

COMMENTS :-

Satisfactory

WITNESS BY :

(ATTENDING SURVEYOR) Faizal Bin Mamat
NAME : MR. MUHAMAD FAIZAL BIN MAMAT
DATE : 14TH MARCH 2018

VERIFIED BY :

(MANUFACTURER'S QA DEPARTMENT)
NAME : LOW JOO TANG
DATE : 14TH MARCH 2018

AQUA LOGISTICS PTE LTD

Block 2, Bukit Batok Street 24

Skytech #02-09 Singapore 659480

Tel : 6566 5166 (5 Lines) Fax : 6566 6303

E-mail Address : aqualog@singnet.com.sg

Website : www.aqualogistics.com.sg



ISO 9001:2015

Cert no.: 11889

QUALITY INSPECTION REPORT

CLIENT : _____

OUR REF. : ALP/QIR-03006/18

HULL NO. : H1174 - 16.8M SURVEY BOAT "POLARIS 1 & 2"

RINA REF. NO. : SHST/2018/HERSA

CLIENT PO NO. : ASL/PO18-01795

WORK ORDER NO. : 17/12/160-A

HATCH

Drawing No. Q11050-17 REV. D (H1) ~ H4 dated 25th Jan 2018

MARKING	MATERIAL	COAMING SIZE (W x H x L)	TYPE	RINA NO.	REQUIRED NO.		
					-	-	TOTAL
H1	ALUMINIUM	654 x 654	WEATHERTIGHT HATCH [QUICK CLOSING]				1
H2	ALUM/ STEEL	654 x 654	WATERTIGHT HATCH [QUICK CLOSING]				2
H2a	ALUM/ STEEL	770 x 814	WATERTIGHT HATCH [QUICK CLOSING]				1
H3	STEEL	1500 x 1420	WATERTIGHT FLUSH HATCH				2
TOTAL QTY : (NOS)					6		

REMARK : - ALL HATCHES WERE VISUALLY EXAMINED AND DIMENSIONALLY CHECKED AGAINST THE MANUFACTURERS DRAWINGS.

MATERIAL CERTIFICATES REVIEWED AND FOUND SATISFACTORY.

- HYDROSTATIC TEST WERE CARRIED OUT ON THE SAMPLE OF WATERTIGHT HATCH MARKED H2 (1 QTY), H2a (1 QTY) & H3 (1 QTY); WITH PRESSURE HEAD OF 0.25 BARS (2.5 METER) AND VISUAL EXAMINATION CARRIED OUT AND FOUND NO LEAK OR DEFORMATION ON THE HATCH.

- CHALK TEST WERE CARRIED OUT ON THE REMAINING HATCH WITH GASKET UNDER TENSION AND FOUNS SATISFACTORY

- ALL HATCH WILL BE ACCEPTED SUBJECT TO INSTALLATION ON BOARD THE VESSEL TO THE SATISFACTION TO THE ATTENDING SURVEYOR

THIS IS TO CERTIFY THAT CLASS AUTHORITIES OR CLIENT REPRESENTATIVES HAVE INSPECTED THE PRODUCT LISTED ABOVE ON 14TH MARCH 2017.

COMMENTS :-

Seen & Surveyed Only

WITNESS BY :

Muhamad Faizal Bin Mamat
RINA Services S.p.A

(ATTENDING SURVEYOR)
NAME : MR. MUHAMAD FAIZAL BIN MAMAT
DATE : 14TH MARCH 2018

VERIFIED BY :

(MANUFACTURER'S QA DEPARTMENT)

NAME : LOW JOO TANG
DATE : 14TH MARCH 2018